

# Feb Month Report-2025

### contents

- 1. Head Summary
- 2. Liability Summary
- 3. Maintenance Due Detail
- 4. FD Account Detail.
- 5. Income Summary.
- 6. Month Expense Summary.
- 7. Accrued Income Summary.
- 8. Petty Cash Summary.
- 9. Diesel Consumption Summary.
- 10.NBH Summary.
- 11.Fujitec.
- 12. Financial Fraud and Dispute.
- 13.Fire Cylinder & NOC
- 14.Notice

| Income/Expense Summary                          | Ţ Dec-24 ▼  | Jan-25 ▼         | Feb-25 ▼         |                             |
|---|-------------|------------------|------------------|-----------------------------|
| Total Fund Available as on Date 31th Dec-24 (A) | 1,13,69,170 |                  |                  |                             |
| Total Fund Available as on Date 31th JAN-25 (A) |             | 1,31,73,505      |                  | posi                        |
| Total Fund Available as on Date 28th FEB-25 (A) |             |                  | 1,38,39,167      | nega t i v e                |
| Total Liability (UnPaid) Till 31st Dec- (B)     | 1,14,25,950 |                  |                  | 1C OC 20E / INID            |
| Total Liability (UnPaid) Till 31st Jan- (B)     |             | 1,14,79,087      |                  | <mark>16,06,385/ INR</mark> |
| Total Liability (UnPaid) Till 28th Feb- (B)     |             |                  | 1,22,32,782      |                             |
| Total Profit Loss (A-B)                         | -56,780     | <b>16,94,418</b> | <b>16,06,385</b> |                             |

| Account Summary  | AMOUNT      |
|--|-------------|
| OPENING BAL. AS ON DATE 01.02.2025 in ICICI BANK (A)     | 1,21,78,965 |
| Total Income Received in Feb-25 (B)                      | 44,64,125   |
| Total Expenses in Feb-25 (C)                             | 37,98,463   |
| CLOSING BAL. AS ON DATE 28.02.2025 IN ICICI BANK (A+B-C) | 1,28,44,627 |
| ICICI FD BOOKED (Swipe FD)                               | 8,77,000    |
| BALANCE AS ON DATE 28.02.2025 IN YES BANK                | 11,847      |
| BALANCE AS ON DATE 28.02.2025 IN AXIS BANK               | 1,05,693    |
| TOTAL FUND AVAILABLE IN BANK AS ON DATE 28.02.2025       | 1,38,39,167 |

| LIABILITY (UNPAID BILLS ) Till Date 28 Feb 2025                                      | AMOUNT      |
|--|-------------|
| CARE BLEND FACILITY MANAGEMENT PVT LTD (Sep - 24 )                                   | 10,24,706   |
| Released when pending work done  |             |
| Npcl Commercial (Electricity) Feb-25 Bill  | 2,18,748    |
| Temple Pujari Salary (Feb - 25)  | 14,000      |
| Accountant Salary ( Feb - 25)  | 30,000      |
| Vyomfacility India Pvt Ltd ( Bill of month Feb-25 )                                  | 19,83,578   |
| National Detective Security & Allied Management (Bill of month Feb-25)               | 10,63,172   |
| Inert Waste G Noida Authority charges (Mar-24 To Dec-24) Rs.31920 per month          | 3,19,200    |
| G NOIDA Authority Water Bill 31 March 2025   | 66,07,106   |
| Parviom Technologies Pvt Ltd (Park plus tag )  | 23,600      |
| Holy Diamond Electricals Private Limited (Service Charge of PLC Programming for Dg ) | 29,500      |
| INN4SMART Solutions Pvt Ltd ( Vending Charges for Oct-Dec 24 )                       | 22,868      |
| INN4SMART Solutions Pvt Ltd ( Vending Charges for Jan-Mar 25 )                       | 22,868      |
| Fujitec India Pvt Ltd (Lift AMC of Jan-Mar 25)                                       | 8,16,531    |
| ASL Enterprises (RO Service & Repair near Temple)                                    | 24,142      |
| Mohd. Aasim ( SS Relling for Tower C & D entrance from Park side )                   | 19,352      |
| VK Traders ( Cement, stone dust )  | 8,850       |
| Wonder System ( Adapter , CP plus POE )  | 4,561       |
| TOTAL LIABILITY AMOUNT   | 1,22,32,782 |

| S/N | Description   | Amount    |
|-----|---|-----------|
| 1   | Maintenance Recoverable From Residents as on 28th Feb | 14,20,286 |

| Description                                   | Amount   |
|---|----------|
| MAINTENANCE RECOVERABLE FROM TOWER - A        | 1,08,452 |
| MAINTENANCE RECOVERABLE FROM TOWER - B        | 37,895   |
| MAINTENANCE RECOVERABLE FROM TOWER - C        | 64,471   |
| MAINTENANCE RECOVERABLE FROM TOWER - D        | 2,80,058 |
| MAINTENANCE RECOVERABLE FROM TOWER - E        | 64,323   |
| MAINTENANCE RECOVERABLE FROM TOWER - F        | 76,127   |
| MAINTENANCE RECOVERABLE FROM TOWER - G        | 1,88,857 |
| MAINTENANCE RECOVERABLE FROM TOWER - H        | 1,89,011 |
| MAINTENANCE RECOVERABLE FROM TOWER - I        | 1,64,301 |
| MAINTENANCE RECOVERABLE FROM TOWER - J        | 73,586   |
| MAINTENANCE RECOVERABLE FROM TOWER - EWS & IS | 1,73,205 |

|     | FD Account Detais(IFMS) Summary                | Dec-24      | Jan-25      | Feb-25      |
|-----|--|-------------|-------------|-------------|
| S/N | Description                                    | Amount      | Amount      | Amount      |
| 1   | ICICI+Axis Bank FD Account(2 Account)          | 4,10,53,666 | 4,10,53,666 | 4,10,53,666 |
|     | unt with Interest of FD Account after Maturity | 5 00 54 450 | 5.00.54.450 |             |
| 2   | a.ICICI FD Apr_2027                            | 5,09,51,153 | 5,09,51,153 | 5,09,51,153 |
|     | b.Axis Bank FD Aug_2025                        |             |             |             |
|     | c.Axis Bank FD Nov_2025                        |             |             |             |

| FD  | ACCOUNT DETAILS(IFMS)                              |             |
|-----|--|-------------|
| S/N | Description  | Amount      |
| 1   | ICICI FD BOOKED                                    | 3,16,01,000 |
| 2   | FD AXIS BANK BOOKED                                | 84,13,698   |
| 3   | RTGS:ICICR52024050400563685 to Axis Bank ( For FD) | 10,38,968   |
|     | TOTAL FD AMOUN                                     | 4,10,53,666 |

| Income (B)   | Amount    |
|--|-----------|
| Commercial Recharge  | 3,89,900  |
| Residential Recharge (Dg + Maintenance)                            | 36,06,915 |
| Residential Offline + Old Payments (Jan Radius Payment Cr. in Feb) | 1,10,282  |
| Club Booking (03) & Electricity                                    | 10,851    |
| File Charge & Welcome Charge                                       | 41,000    |
| Sticker Charges (58)   | 5,800     |
| Noc Charges (3)  | 96,482    |
| Advertisement Income(Adonmo)                                       | 59,536    |
| Canopy Income (4)  | 24,000    |
| Work Permit (4)  | 4,000     |
| ATM Rent ( Hitachi )   | 8,000     |
| Phool Wala Rent Paid ( Jan-25 ) Month                              | 4,000     |
| Maintenance Rec. from Un-Possesed Flat (D-2033, H-0762, IS-5008)   | 33,019    |
| D -Tower (Basement Hall)   | 3,000     |
| Boom Barrier Damage Fine + V lock                                  | 6,000     |
| Suspence   | 61,340    |
| Total Income (B)   | 44,64,125 |

| Expenses (c)   | Amount    |
|--|-----------|
| Facility Agency (VYOM Facility Management) Jan - 2025 (Bill = 1983578 - TDS - GST )            | 16,37,578 |
| Facility Agency (VYOM Facility Management), GST ( DEC-24 )                                     | 3,00,816  |
| Security Agency (NDS) Jan - 2025 ( Bill = 1104429 - TDS - GST )                                | 9,26,599  |
| Security Agency (NDS) (GST PAID of Dec-24)   | 1,74,931  |
| Aggarwal Sanitary (Green net for Football Play Area )  | 16,170    |
| Accurate Power System (KWH Meter Installation in Commercial )                                  | 7,670     |
| Npcl Commercial(Electricity) Jan - 2025 Bill   | 2,20,665  |
| Inert waste charge to GNOIDA Authority for Mar-24, 31920 per month (Flat 1428*15, Shop 70*150) | 31,920    |
| Garg Electricals ( PVC Wire & Cable for main gate and LED bulb/light )                         | 19,753    |
| Mehak Tile ( Floor Tiles for Guest Room)   | 3,708     |
| Mahendra Singh ( Legal Fee )   | 10,000    |
| Temple Pujari Salary (Mr.Divyansu Ji) (Jan-25)   | 14,000    |
| Accountant Salary ( Jan-25 )   | 30,000    |
| Tds Challan (For Jan-25 )  | 51,318    |
| Auli Innovations Private Limited ( boom barrier LED screen rental Jan-25 + remote replacement) | 7,906     |
| Auli Innovations Private Limited ( boom barrier LED screen rental Feb-25)                      | 7,788     |
| SK Sales ( Warning Bollard )   | 7,080     |
| V K Traders ( Cement, Stone dust, Steel )  | 15,873    |
| Classic Print ( LED Board 3 PCS )  | 17,700    |
| MLSD Glass ( Supply and installing of 2 track UPVC Window in B Tower near Lobby )              | 7,833     |
| Devico Fuels Pvt Ltd ( Diesel Purchase )   | 1,32,015  |
| Jitendra Kumar Singh ( A-One Ballon Decoration for 26 Jan )                                    | 4,500     |
| BK Tech Readymix Concrete ( RMC-30 For Main Gate )   | 42,952    |
| Parviom Technologies Pvt Ltd ( AMC of Park plus )  | 51,156    |
| Kausar Abbas Zaidi (Construction work at Main gate )   | 15,000    |
| Shree Dev Plywood ( 16 mm plywood For Fortis Clinic room )                                     | 14,800    |
| Shiv Fibre And Glass Sheet ( PVC mat in Fortis Clinic room )                                   | 8,732     |
| Cash Withdraw for Petty Cash   | 20,000    |
| Total Expenses (C)   | 37,98,463 |

| Accr | ued Income Summary  |            |
|------|---|------------|
| S/N  | Description   | Amount     |
| 1    | Maintenance Recoverable From Residents as on 28th FEB Sub Total (A) | 14,20,286  |
|      | Maintenance Recovered from Builder (GAUR)                           |            |
|      |   |            |
| 1    | TOTAL FLAT NON POSSESSION   | 21         |
|      |   |            |
| 2    | AREA SQFT   | 19,938     |
|      |   |            |
| 3    | MONTHLY MAINTENANCE CHARGE @1.95 PER SQFT                           | 38,879     |
|      | Dues from 01.12.2021 to 28.02.2025 Sub Total (B)                    | 13,99,648  |
|      | Total (A+B)   | 28,19, 934 |
|      | IFMS and other payments not included in above amo                   | ount       |


# Feb 2025 Petty Cash Summary

| DATE       | Description                       | scription Head F      |  | Payment | Balance |
|------------|-----------------------------------|-----------------------|--|---------|---------|
| 01-02-2025 | Opening Balance                   | Cash In Hand          |  |         | 15,405  |
|            |                                   |                       |  |         |         |
| 05-02-2025 | Cable-Tie for Net Playground Area | Repair & maintenance  |  | 450     | 14,955  |
| 09-02-2025 | Mastram Daily Newspaper           | Office Exp            |  | 350     | 14,605  |
|            |                                   |                       |  |         |         |
| 22-02-2025 | For Sewage Clearence              | Repair & maintenance  |  | 1,000   | 13,605  |
|            |                                   |                       |  |         |         |
| 22-02-2025 | For Purchase Track Light channel  | Repair & maintenance  |  | 1,050   | 12,555  |
| 28-02-2025 | Stationery for Security           | Printing & Stationery |  | 2,120   | 10,435  |
| 28-02-2025 | Cartiage refilling                | Printing & Stationery |  | 650     | 9,785   |
| 28-02-2025 | Conveyance                        | Conveyance            |  | 300     | 9,485   |
| 28-02-2025 | Fastner for Printer Stand         | Office Exp            |  | 100     | 9,385   |
| 28-02-2025 | Closing Balance                   |                       |  |         | 9,385   |

|     |                      | Diesel and KWH | •       | Jan-25_               |         |         |               | T       |      |         |         |
|-----|----------------------|----------------|---------|-----------------------|---------|---------|---------------|---------|------|---------|---------|
|     |                      |                | - Hrs   | 1                     | KWH     |         |               | Diesel  |      |         |         |
| S/N | D G Set              | Opening        | Closing | Total run<br>ning Hrs | Opening | Closing | Total KW<br>H | Opening | Add  | Consume | Closing |
| 1   | No-1 ( 750 KVA )     | 216.1          | 220.3   | 4.2                   | 140563  | 141524  | 960.64        | 310     | 730  | 420     | 620     |
| 2   | No-2 ( 500 KVA )     | 0.83           | 2.1     | 1.27                  | 81133.8 | 81629.9 | -496.1        | 445     |      | 185     | 260     |
| 3   | No-3 ( 750 KVA )     | 73.2           | 75.2    | 2                     | 33042.2 | 33233.2 | 191           | 480     | 350  | 130     | 700     |
| 4   | No-4 ( 125 KVA )     | 110.1          | 112.8   | 2.7                   | 3131.6  | 3193.6  | 62            | 115     |      | 25      | 90      |
| 5   | Fire Engine (149 HP) |                |         |                       |         |         |               | 100     |      |         | 100     |
| 6   | Drum                 |                |         |                       |         |         |               | 480     |      |         | 0       |
|     |                      | esel received  |         |                       |         |         |               | 1930    | 1080 | 760     | 17      |

|     | Diesel and KWH Report of Feb-25 |         |          |                   |                 |         |           |         |     |         |         |  |  |
|-----|---------------------------------|---------|----------|-------------------|-----------------|---------|-----------|---------|-----|---------|---------|--|--|
|     |                                 |         | DG - Hrs |                   |                 |         | кwн       |         |     | Diesel  |         |  |  |
| S/N | D G Set                         | Opening | Closing  | Total running Hrs | Opening Closing |         | Total KWH | Opening | Add | Consume | Closing |  |  |
| 1   | No-1 ( 750 KVA )                | 220.3   | 226.6    | 6.3               | 141523.7        | 142297  | 772.9     | 620     | 600 | 570     | 650     |  |  |
| 2   | No-2 ( 500 KVA )                | 2.1     | 2.1      | 0                 | 81629.9         | 81629.9 | 0         | 260     |     | 0       | 260     |  |  |
| 3   | No-3 ( 750 KVA )                | 75.2    | 79.9     | 4.7               | 33233.2         | 33788.5 | 555.3     | 700     | 490 | 360     | 830     |  |  |
| 4   | No-4 ( 125 KVA )                | 112.8   | 118      | 5.2               | 3193.6          | 3327.6  | 134       | 90      | 150 | 65      | 175     |  |  |
| 5   | Fire Engine (149 HP)            |         |          |                   |                 |         |           |         |     |         | 100     |  |  |
| 6   | Drum                            |         |          |                   |                 |         |           |         |     |         | 260     |  |  |
|     | Total Diesel received           |         |          |                   |                 |         |           |         |     | 995     | 2275    |  |  |








lote: 1.This testing certificate is issued subject to completion of repair /replacement to items; excluded from

the preview of our contract with you, for which a separate proposal will be submitted to you

2.Lift operating license to be renewed before the expiry date



## **ANNUAL TESTING CERTIFICATE** We are pleased to inform you that we have carried out Annual Testing o

your Elevator at Ms. Gaur Atulyam

Contract Number IN000438L002 Unit No L002

On 08-02-2025 and found that all safety devices and

mechanism are fully operational at the time of testing In order to prolong the equipment's life, minimize breakdowns and

further improve the service being rendered to you , we seek your kind

"Recommendations To Owner

provided in the second page of this certificate

#### Fujitec India (p) Ltd

Rajendra Choudhary Maintenance Enginee

support in attending to the items of work, tick  $oxed{\boxtimes}$  in the list

**FUJITEC** 

### **ANNUAL TESTING CERTIFICATE**

We are pleased to inform you that we have carried out Annual Testing of

your Elevator at Ms. Gaur Atulyam

Contract Number IN000438L011 Unit No L011

On 08-02-2025 and found that all safety devices and

mechanism are fully operational at the time of testing

further improve the service being rendered to you , we seek your kind

support in attending to the items of work, tick 🗹 in the list

"Recommendations To Owner

provided in the second page of this certificate

#### Fujitec India (p) Ltd

Raiendra Choudhan Maintenance Engineer

Date: 08-02-2025

the preview of our contract with you, for which a separate proposal will be subm

ificate is issued subject to completion of repair /replacement to items; excluded from

the preview of our contract with you, for which a separate proposal will be submitted to you



Date: 08-02-2025



## विद्युत सुरक्षा निदेशालय

कार्यालय सहायक निदेशक , विपुत सुरक्षा, उत्तर प्रदेश शासन गौतमयुद्धनगर जोन, गौतमयुद्धनगर

वि॰मु॰नि॰/ लिफ्ट/निरीक्षण/2024-25

दिनांक: 22/01/2025

GAUR ATULYAM APARTMENT OWNERS ASSOCIATION
GAUR ATULYAM, GHO4, SECTOR OMICROM-1, GREATER NOIDA, DIST. GAUTAM BUDH NAGAR, UP

विषय :- आपके परिसर में अधिष्ठापित लिफ्ट के वियुतीय अधिष्ठापन का नियतकालिक निरीक्षण / परीक्षण ।

पसंग :- आपका आवेदन पत्र संख्या VS2492321 दिनांक 09/01/2025

नसंदय. कृपया निक्नोकित लिफ्ट से सम्बन्धित विद्युतीय अधिष्ठापन, जिसका विवरण नीचे ओकत है, का निरीक्षण / परीक्षण द्वारा दिनाक - 10/01/2025 को कृपया निम्नाकत तिपट स सम्बान्धत विद्वतय आध्वापन, जिसका विवरण नाय आकत है, का निरामण / पराक्षण दाय दिनाक - 10/01/2025 को करते पर उक्त विद्वतीय अधिवापन विद्वत सुरक्षा की होंट से सेन्ट्रल इतिकद्भिटी अथोरिटी (सेन्नसे रिलेटेड टू सेफ्टी एंड इतिक्ट्रक सप्लाई ) रेगुनेवन 2010 करन पर उक ावपुताय आध्यक्षपन विषुत सुरक्षा का हाष्ट्र सं सन्द्रंत इताक्ट्रासटा अवागरा (मजस गरलटंड ट्र सफ्टा एड इलाक्ट्रंक सप्ताह ) रगुनशन 2010 के सुसंगत विनयमों का पानन करते हुए पाया गया । अधिक्षपन में किसी भी परिवर्तन की देशा में इस कार्योलय को अवगत कराते हुए पुनः निरीक्षण

| करने पर उक्ते विधुतिय का पालन करते हुए पाया गया ।<br>के सुसंगत विनियमों का पालन करते हुए पाया गया । |      |             | ग्रया । जा |                              |    | मोटर सार्थन                  |      | FUJITEC      |       |               |  |
|---|------|-------------|------------|------------------------------|----|------------------------------|------|--------------|-------|---------------|--|
|   |      |             | 1          | acity(KG) Motor Capacity(KW) |    | IN000438L015<br>IN000438L016 |      | FUJITEC      |       |               |  |
| कटगणा जीय   LIET Caps   |      | apacity(KG) |            |                              |    |                              |      |              |       |               |  |
| 0 #0 LIFT Capacity(   |      | pacity(P)   |            |                              | 9  | 9                            |      | IN000438L017 |       | EC            |  |
| 60  | 13   |             | 544        |                              | 12 |                              | INOO | 0438L018     | FUJIT |               |  |
|   | 8    |             | 384        | 7/ 1/50                      | 12 | H                            |      | 0438L019     | FUJI  |               |  |
| _   | 2.3  | 13 534      |            |                              | 9  | 10                           |      | IN000438L001 |       | FUJITEC       |  |
| _   | 13   | 16          | 544        | N. H. H. A.                  | 9  | 111                          | INO  | 00438L002    | FUJI  |               |  |
| _   | 3    |             | 544        |                              | 12 | 11                           | INO  | 00438L003    |       | TEC           |  |
|   | n    |             | 584        |                              | 12 |                              | INC  | 00435L004    |       | ITEC          |  |
| _   | 13   |             | 884        |                              | 9  |                              | IN   | 000438L005   |       | ITEC          |  |
| _   | 13   |             | 544        |                              | 1  | ,                            | IN   | 000438L006   |       | JITEC         |  |
|   | n n  |             | 884        |                              | 1  |                              | IN   | 000438L007   |       | JITEC         |  |
| -   | 13   |             | 384        |                              |    |                              | 10   | 1000438L008  |       | JITEC         |  |
| 10  | 13   |             | 54         |                              |    | 12                           | - lu | N000438L009  |       | JITEC         |  |
| 11  | 13   |             | 88         |                              |    | 12                           | - 1  | N000438L010  |       | UJITEC        |  |
| 12  | 13   |             | 81         |                              |    | 9                            |      | N000438L011  |       | UJITEC        |  |
| 13  | 13   |             | 5          |                              |    | 12                           |      | IN000438L012 |       | UJITEC        |  |
| 14  | - 10 |             |            | 84                           |    | 12                           |      | IN000438L013 |       | UJITEC        |  |
| 15  | 13   |             |            | 84                           |    | 9                            |      | IN000438L014 |       | FUJITEC       |  |
| 16  | 12   |             |            | 44                           |    | 12                           |      | IN000438L020 |       | FUJITEC       |  |
| 17  |      |             |            | 554                          |    | 12                           |      | IN000438L021 |       | FUJITEC       |  |
| 18  | - 1  | 3           |            | 584                          |    | 12                           |      | IN000438L022 |       | FUJITEC       |  |
| 19  |      | 13          |            | 884                          |    | 9                            |      | IN000438L023 |       | FUJITEC       |  |
| 20  | -    | 13          |            | 544                          |    | 12                           |      | IN000438L024 |       | FUJITEC       |  |
| 21  |      | 8           |            | 884                          |    | 12                           |      | IN000438L025 |       | FUJITEC       |  |
| 22  |      | 13          |            | 884                          |    | 9                            |      | IN000438L026 |       | FUJITEC       |  |
| # 23  |      | 13          |            | 544                          |    | 12                           |      | IN000438L027 |       | FUJITEC       |  |
| 24  |      | s           |            | 884                          |    | 12                           |      | IN000438L028 |       | FUJITEC       |  |
| 25  | 5    | 13          |            | 884                          |    | 9                            |      | IN000438L029 |       | FUJITEC       |  |
| 2   | 6    | 13          |            | 544                          |    | 12                           |      | IN000438L030 |       | FUJITEC       |  |
| 2   | 7    | 13          |            | 884                          |    | 12                           |      | IN000729L002 |       | FOSTITUTE     |  |
| -   | 28   | 13          |            |                              |    | 6                            |      |              |       |               |  |
| - 1   | 29   | - 12        |            | 884                          |    | 0                            |      | The second   |       | ठीक प्रकार से |  |

तोट -1. कृपया उपरोक्त तिपटो का कार्य / अनुरक्षण कार्य ओरिजिनल मैनुफैक्यरर से हैं। करार्य | लिपटो का समय - समय पर अनुरक्षण तथा ठीक प्रकार से ताट -1. कृपया उपरार्क ालफ्टा का काय / अनुरक्षण काय आाराजनल मेनुफक्यरर स हा कराय | ालफ्टा का समय - समय पर अनुरक्षण तथा ठाक प्रकार स परिचालन एवं यात्रिक रूप से ठीक रखने की जिम्मेदारी उपभोत्त की होगी (उन अनापति मात्र विषुत सुरक्षा से सम्बन्धित है | यात्रिक सक्षमता की जिम्मेदारी सनुप्रक्षपर तथा उपमाला का हागा | 2. उक्त पैसेजर विषट्स के पिट की वाटर पूर्षण समुचित हम से कराई जाए ताकि भविष्य में किसी प्रकार से करंट लेकेज की समस्या उत्पन्न न हो |

(RAMESH KUMAR सहायक निदेशक

SATISFACTORY



## Regd. No. GBN/00387/2021-2022 GAUR ATULYAM APARTMENT OWNERS ASSOCIATION

PRESIDENT Saniay Kaushik 9810727370

**VICE PRESIDENT** Pawan Kr. Sharma 9350075758

Gajendra Singh Nagar 9411477177

Vipin Kumar 9654007074

Date: 09-December, 2025

बालकनी में बहार की तरफ (कॉमन एरिया) में लटके हुए पौधे के गमले व् चिड़िया के लिये दाना और पानी के बर्तन को तुरंत प्रभाव से हटाया जाये 15 जनवरी 2025 से यदि इसका उलंघन करता पाया जाता है तो प्रति दिवस रूपए 1000 यह राशि फ्लैट के मेंटेनन्स अकाउंट में डेबिट कर दिया जायेगा तीन

दिन के उपरांत मेंटेनेनस सर्विसेज को भी बाधित किया जा सकता है यदि 30 दिन के उपरांत किसी फ्लैट ओनर / किरायेदार का मेंटेनेंस पेंडिंग रहता है, ऐसी स्थिति में फ्लैट से सम्बंधित सेवाओं को बाधित कर दिया जायेगा और नोटिस (ईमेल अथवा व्हाट्सप्प के माध्यम से ) प्रेषित किया जायेगा इसके उपरांत सभी मेटेनेंस सर्विसेज को बंद कर दिया जायेगा। ऐसे में सभी

सर्विसेज को केवल देय राशि के भुगतान के उपरांत ही पुनर्चलन किया जायेगा। नीचे के फ्लैट में यदि सीलन की समस्या रिपोर्ट होती है तो ऐसी स्थित में ऊपर वाले फ्लैट ओनर / किरायेदार की नैतिक ज़िम्मेदारी बनती है की वह अतिशीघ्र अपने फ्लैट में लीकेज पॉइंट पर रिपेयर वर्क करवाने का प्रबंध करे ताकि सीलन की समस्या से बिल्डिंग को दीर्घकालीन समस्या से बचाया जा सके। ऐसी रिपेयर वर्क को करवाने की समय अवधि अधिकतम तीन दिवस राखी गयी है। एक सप्ताह की अवधि बीत जाने पर पैदा हुई क्षति के लिये लीकेज का कारण बने फ्लैट के खाते में डेबिट राशि रूपए

4. बालकनी और बाहरी दीवार पर सोसाइटी द्वारा निर्धारित रंग को किसी भी परिस्थति में बदलाव 1000 प्रतिदिवस के दर से समायोजन कर दिया जायेगा। मान्य नहीं है यदि बाहरी दीवारों पर रंग में बदलाव किया जाता है ऐसी स्थिति में रूपए 5000 की राशि उनके फ्लैट के खाते में डेबिट कर दी जाएगी और पुनः रंग रोगन को सोसाइटी के समानान्तर

बालकनी एवं कॉमन कमान एरिया में या बालकनी की ग्रिल पर किसी प्रकार से विज्ञापन के

6. बिल्डर द्वारा उपलब्ध करई गयी फ्लैट के अंदर की दीवारे आदि को किसी भी स्थिति में तोड़फोड़/ बेनर / पलेक्स / पोस्टर आदि को लगाने पर पूर्णतः मनाही है। बदलाव/ हटाना आदि मान्य नहीं है। ऐसे किसी भी प्रकरण के संज्ञान में आने पर रूपए 50000 का डेबिट नोट उस फ्लैट के मेंटनेंस से समायोजित कर दिया जायेगा, ऐसी कार्यवाही के लिए फ्लैट अवर नार उत वरार पर नराय से समावाजात पर स्था आवाग, द्या पर वराय है। ओनर ज़िम्मेदार होगा और स्थिति-अनुसार ऐसे फ्लैट की सुविधाएं बंद भी की जा सकती हैं।

Niteshwar Prasad Manikant Dubey

Rajeev Kumar Preetam Kumar Satyapal Sharma

Address: AOA Office, Gaur Atulyam, Omicron-1, 130 Meter Road, Gautam Budh Nagar, UP - 201310

# सूचना

सूचित किया जाता है की मैसर्स किड्सटेक (यूरोकिड्स) पता जी ब्लॉक भूतल, गौर अतुल्यम ओमिक्रोन फर्स्ट तहसील दादरी, ग्रेटर नोएडा, जिला गौतम बुध नगर का गौर अतुल्यम AOA के मध्य मेंटेनेंस को लेकर विवाद चल रहा है,जिसके बाबत एक सिविल वाद संख्या 401 सन 2025 मैसर्स किड़स्टेक (यूरोकिड्स)

## बनाम

यूपी टाउनिशप इंफ्रास्ट्रक्चर प्राइवेट लिमिटेड कार्यालय गौर विज पार्क प्लॉट नंबर १ अभय खंड २ इंदिरापुरम जिला गाजियाबाद तथा अन्य,माननीय सिविल जज सीनियर डिविजन गौतमबुध नगर के यहां विचाराधीन हैं।

उक्त वाद के निस्तारण होने तक अपने बच्चों का प्रवेश अपनी जिम्मेदारी पर कराए। किसी भी तरह की असुविधा होने पर गौर अतुल्यम AOA की कोई जिम्मेदारी नहीं होगी।सूचना जनहित में जारी।

धन्यवाद

AOA कार्यकारिणी गौर अतुल्यम

# Thank You